

Automotive Aftermarket


The Way We Move Our Customers Forward



MOVING YOUR WORLD

FOUNDED THREE
GENERATIONS BACK AS A
FAMILY-OWNED BUSINESS

1931



Rudolf Fuchs
Company's Founder



Dr. Manfred Fuchs
Corporate Management since 1960




Stefan Fuchs
Corporate Management since 2004

FUCHS



Largest independent lubricant producer in the world





WORLDWIDE POSITION OF
INDEPENDENT PRODUCERS OF
LUBRICANTS

RANK **1**

SALES REVENUES

3,525 in EUR million

FAMILY-OWNED BUSINESS IN

3 Generations

FULL RANGE OF LUBRICANTS AND SPECIALTIES OF
OVER


10,000 products

EMPLOYEES WORLDWIDE

> 6,700



No matter where in the world We're extremely close to our customers



Total

- 38 production facilities
- 🏠 67 operation companies

As of December 31, 2025

Only fully consolidated production companies are shown.

FUCHS IS UNIQUE IN ITS INDUSTRY



**Close to our
customers all over
the world**

Full product offering



**Best team in our
industry**

**Stable shareholder &
no debt**



MOVING YOUR WORLD

EXCELLENT JOB

Our successful development work with many well-known brands has earned us numerous OEM-Awards in recent years. For us, this is the greatest appreciation and recognition of our work.



JOHN DEERE
SUPPLIER OF THE YEAR



DAIMLER
SUPPLIER AWARD



VOLKSWAGEN
GLOBAL GROUP
AWARD



ZF
SUPPLIER AWARD

AWARDS

Full range of over

10,000

Products

> FUCHS OIL CHOOSER



**Mercedes Benz, BMW,
Volkswagen, Audi, Porsche,
Opel, Ford**

Leading First-Fill Supplier


LEADING SUPPLIER



**Toyota, Tata, Honda, Suzuki,
Mitsubishi, Nissan, Mazda,
Mahindra, Hyundai, Kia, MG**

Big Tie-Ups with Asian Car Makers

LEADING SUPPLIER



2000

Worldwide first
0W-20 Engine Oil

2010

Introduction of **XTL-**
Technology

2020

FUCHS BlueEV
for e-mobility

Mobility

Delivering Excellence

Strategic Partnership with MERCEDES-BENZ

Collaboration integrates MERCEDES-BENZ's engineering mastery with FUCHS' advanced lubrication technology

Innovation

Solutions that optimize vehicle performance and efficiency

Sustainability

Focus on eco-friendly products

Better Customer Experience

Joint marketing & educational efforts



MOVING YOUR WORLD

CO₂-Neutrality Strategy



CO₂neutral

Since 2020
CO₂-Neutral Company

Worldwide lubricants
out of a CO₂-neutral
production

Today
Investment in climate
protection projects

Long-term
CO₂-Neutral Products

FUCHS India in a Nutshell

FUCHS LUBRICANTS (INDIA) PVT. LTD.

Godrej TWO, 803-A, 8th Floor, Pirojshanagar, Vikhroli,
Eastern Express Highway, Mumbai – 400 079, INDIA

Founded: 1994

Managing Director: Parag V. Dongare

Staff: 119

Set Up:

- Head Office
- Regional Sales Offices & Warehouses
- Plant
- Laboratory
- Regional Team



Indian Operation

Manufacturing, Distribution & Laboratory



3,900
pallet storage locations

The most modern and
advanced lubricant
production facility in
India

Bulk handling capability

A full range
of quality standards

ISO 9001
ISO 14001
IATF 16949
ISO 45001

Opened in 2010
at Ambernath
Near Mumbai

40,000 KL licensed
production capacity for
lubricants and 10,000 tons
for greases and coolants

Distribution
Points close to
customer

State-of-the-art production facility at Ambernath



- Licensed capacity of 40,000 per annum lube oil & 5000 MT per annum of grease and 5000 MT of coolants.
- Storage capacity of 3900 Pallet positions.
- 80% of the electrical power is from Solar.
- ZLD unit(Zero Discharge unit)
- Green zone more than 30%.
- State of art QA and R&D labs.
- Filling set up ranging from 0.5 L to tanker loads.
- Blending vessels ranging from 0.5 KL to 30 KL with various MOCs like SS, MS etc.
- Storage facility for base oils, solvents and finished goods.

State-of-the-art production facility at Ambernath



FUCHS India R&D Capability



RM Evaluation



New Product Development



Testing and Validation



EHS Compliant Products



Sustainable solutions

- State-of-the-art laboratory to cater to the stringent compliance and OEM requirements
- Dedicated, trained and qualified staff to utilize the technical facilities

TITAN



Engine Oils for
Passenger Vehicles



> Guaranteed OEM-Quality



> Complete Range



> Worldwide unique
XTL®-Technology



> Optimal Protection &
Performance of your Engine



> Premium German Oils

TITAN GT1 FLEX 5 SAE 0W-20

Available packs: 1L, 4L & 205L

Premium Performance engine oil with XTL-Technology in path-breaking viscosity class. Specially designed for highly stressed downsized engines with maximum power output, for extreme fuel economy characteristics and reduced CO2 emissions.

Performance Standards:

API SP RC, API SN PLUS RC, ACEA C5/C6, ILSAC GF-6A

- BMW LONGLIFE-17 FE+
- JAGUAR LAND ROVER STJLR.03.5006
- MB-APPROVAL 229.71
- MB-APPROVAL 229.72
- OPEL OV0401547 – A20
- CHRYSLER MS-12145
- FIAT 9.55535-GSX
- FORD WSS-M2C947-A
- FORD WSS-M2C947-B1
- FORD WSS-M2C962-A1
- ILSAC GF-5
- JAGUAR LAND ROVER STJLR.51.5122
- VOLVO VCC RBS0-2AE

Benefits:

- Excellent cold starting behaviour
- Very fast oil circulation and outstanding performance reserves

Fully Synthetic

XTL Technology

BluEV
TECHNOLOGY



TITAN SYN SP SAE 0W-20

Available packs: 1L, 3.5L & 205L

Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

Performance Standards:

API SP RC, ILSAC GF-6A

Benefits:

- Improved fuel economy
- Latest additive technology to prevent from LSPI
- Protects against turbocharger deposits
- Good thermal and oxidative stability

Fully Synthetic



TITAN GT1 FLEX C23

SAE 5W-30

Available packs: 1L, 3.5L & 205L

Premium Performance engine oil for modern passenger cars and light commercial vehicles with or without extended service intervals.

Performance Standards:

API SP, ACEA C2/C3

- BMW LONGLIFE-04
- MB-APPROVAL 229.31
- MB-APPROVAL 229.51
- MB-APPROVAL 229.52
- OPEL OV 040 1547
- CHRYSLER MS-11106
- FIAT 9.55535-S1 / -S3
- GM-LL-A-025
- GM-LL-B-025
- IVECO 18-1811 CLASSE SC1
- VW 505 00/505 01

Benefits:

- Extreme fuel economy
- Optimum cold start ability
- Outstanding performance reserves

Fully Synthetic

BlueEV
TECHNOLOGY



TITAN FORMULA SP

SAE 5W-30

Available packs: 1L, 3L, 3.5L, 4.5L, 5L, 50L & 205L

High Performance engine oil specially for all normally aspirated and turbocharged gasoline engines in passenger cars operated under normal conditions.

Performance Standards:

API SP/CF, ACEA A5/B5, ILSAC GF-6A

Benefits:

- Excellent protection against LSPI
- Improved fuel economy
- Enhanced protection for exhaust after treatment devices
- Excellent wear protection

Fully Synthetic



TITAN FORMULA SN SAE 5W-30

Available packs: 1L, 3.5L, 4L, 5L, 50L & 205L

High Performance engine oil specially for all normally aspirated and turbocharged gasoline engines in passenger cars operated under normal conditions

Performance Standards:

API SN/CF, ACEA A5/B5, ILSAC GF-5

Benefits:

- Improved fuel economy
- Improved protection for emission systems
- Less oil consumption
- Protection from sludge, deposits and lacquering

MC-Synthesis



TITAN SUPERSYN

SAE 5W-40

Available packs: 1L, 3.5L, 4L & 205L

Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

Performance Standards:

API SN/SM, ACEA A3/B4

- MB-APPROVAL 229.3
- RENAULT RN0700/RN0710
- VW 502 00/505 00
- GM-LL-A-025
- GM-LL-B-025
- API CF
- BMW LONGLIFE-98
- CHRYSLER MS-12991
- FIAT 9.55535-H2/M2/N2/Z2

Benefits:

- Extreme fuel economy
- Optimum cold start ability
- Lower oil consumption

Fully Synthetic



TITAN SYN SN SAE 5W-40

Available packs: 1L, 3.5L, 4L, 50L & 205L

Ultra High Performance, fuel-economy engine oil for a variety of vehicles with or without extended service intervals.

Performance Standards:

API SN/CF, ACEA A3/B4

Benefits:

- Improved fuel economy
- Improved protection of emission systems
- Less oil consumption
- Protection from sludge, deposits and lacquering

Fully Synthetic



TITAN SYN SP

SAE 0W-30

Available packs: 1L, 3.5L, 50L & 205L

Ultra High Performance, fully synthetic, fuel-economy engine oil for a variety of gasoline and diesel engines in passenger cars.

Performance Standards:

API SP, ACEA C2

Benefits:

- Improved fuel economy
- Improved wear protection
- Improved cold start and rapid oil circulation
- Protects against turbocharger deposits
- Good thermal and oxidative stability

Fully Synthetic



TITAN SYN SP SAE 0W-40

Available packs: 1L, 4L, 50L & 205L

Ultra High Performance, fully synthetic fuel-economy engine oil for a variety of gasoline and diesel engines in passenger cars.

Performance Standards:

API SP, ACEA C3

Benefits:

- Improved wear protection
- Improved cold start and rapid oil circulation
- Protects against turbocharger deposits
- Good thermal and oxidative stability

Fully Synthetic



TITAN FORMULA CH-4

SAE 15W-40

Available packs: 3.5L

Super High Performance, fuel-economy engine oil for diesel engines

Performance Standards:

API CH-4/SJ, ACEA E7, CAT ECF-1-a

- MB APPROVAL 228.3
- VOLVO VDS – 3
- RENAULT RLD/RLD 2
- DEUTZ DQC III-18
- MACK EO-N
- MTU DDC TYPE 2
- CUMMINS CES 20076/7
- MAN M 3275-1

Benefits:

- Super High Performance
- Less oil consumption
- Suitable for diesel engines

**Super High
Performance**



TITAN FORMULA SL SAE 20W-50

Available packs: 1L, 3L & 4.5L

Premium quality multigrade engine lubricant for CNG Engines

Performance Standards:

API SL

Benefits:

- Good wear protection
- Excellent oil film strength
- Protects against turbocharger deposits
- Good protection from sludge, deposits, lacquering
- Compatible with all gaskets and shaft seals
- Low oil consumption

**Super High
Performance**



MAINTAIN FRICOFIN LL

Available packs: 1L

Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: orange.

Performance Standards:

- | | | |
|-----------------------------|----------------------------------|---|
| • ASTM D 3306 TYPE I | • AFNOR NFR 15-601 TYPE I | • HYUNDAI MS 591-08 |
| • ASTM D 6210 TYPE I-FF | • AS/NZS 2108:2004 TYPE A | • JASO M325 |
| • BS 6580:2010 | • ASTM D 4985 | • JIS K2234 |
| • SAE J814 | • SAE J1034 | • JOHN DEERE JDM H5 |
| • FORD WSS-M97-B44-D | • ADE (ATLANTIS DIESEL ENGINES) | • KOMATSU AF-NAC (07.892 (2009)) |
| • JAGUAR LAND ROVER | • BAIC GROUP FOTON Q-FPT | • LIEBHERR MD 1-36-130 |
| STJLR.651.5003 | 2313005-2013 | • MACK 014 GS 17009 |
| • FVV Heft R443 | • CATERPILLAR MAK A4.05.09.01 | • MAZDA MEZ MN 121 D |
| • KSM 2142 | • CHRYSLER MS 12106 | • PSA B 71 5110 |
| • UNE 26-361-88/1 | • CNH MAT 3624 | • RENAULT 41-01-001/- -S Type D |
| | • CNH MAT 3724 | • Bergen Engines 2.13.01 |
| • Bez.Reg.Arnsbg. | • CUMMINS (ISBe engines at DAF | • SAAB B 040 1065 |
| • E62.12.22.64-2011-1 | and Leyland) | • SKODA 61-0-0257 |
| • CAT / MWM TR 0199-99-2091 | • CUMMINS CES 14603, CES 14439 | • TOYOTA TSK 2601G-8A |
| • DAF 74002 | • DETROIT DIESEL 93K217 | • VW TL 774-D/F (G12+ / different colour) |
| • DEUTZ DQC CB-14 | • FIAT 9.55523 | • VOLVO COOLANT VCS (STD 418-0001) |
| • MAN 324 TYPE SNF | • GM GMW 3420 (6277M)/GME L 1301 | • VOLVO COOLANT XLC (STD 418-0005) |
| • MB-APPROVAL 325.3 | | |
| • MTU MTL 5048 | | |

**Premium Performance
(Orange)**



MAINTAIN FRICOFIN EA 50

Available packs: 1L


Premium Performance Coolant Concentrate based on monoethylene glycol. Free of nitrites, amines, phosphates and silicates with OAT-technology. Product dyeing: orange.

Performance Standards:

- | | | |
|-----------------------------|----------------------------------|---|
| • ASTM D 3306 TYPE I | • AFNOR NFR 15-601 TYPE I | • HYUNDAI MS 591-08 |
| • ASTM D 6210 TYPE I-FF | • AS/NZS 2108:2004 TYPE A | • JASO M325 |
| • BS 6580:2010 | • ASTM D 4985 | • JIS K2234 |
| • SAE J814 | • SAE J1034 | • JOHN DEERE JDM H5 |
| • FORD WSS-M97-B44-D | • ADE (ATLANTIS DIESEL ENGINES) | • KOMATSU AF-NAC (07.892 (2009)) |
| • JAGUAR LAND ROVER | • BAIC GROUP FOTON Q-FPT | • LIEBHERR MD 1-36-130 |
| STJLR.651.5003 | 2313005-2013 | • MACK 014 GS 17009 |
| • FVV Heft R443 | • CATERPILLAR MAK A4.05.09.01 | • MAZDA MEZ MN 121 D |
| • KSM 2142 | • CHRYSLER MS 12106 | • PSA B 71 5110 |
| • UNE 26-361-88/1 | • CNH MAT 3624 | • RENAULT 41-01-001/- -S Type D |
| | • CNH MAT 3724 | • Bergen Engines 2.13.01 |
| • Bez.Reg.Arnsbg. | • CUMMINS (ISBe engines at DAF | • SAAB B 040 1065 |
| • E62.12.22.64-2011-1 | and Leyland) | • SKODA 61-0-0257 |
| • CAT / MWM TR 0199-99-2091 | • CUMMINS CES 14603, CES 14439 | • TOYOTA TSK 2601G-8A |
| • DAF 74002 | • DETROIT DIESEL 93K217 | • VW TL 774-D/F (G12+ / different colour) |
| • DEUTZ DQC CB-14 | • FIAT 9.55523 | • VOLVO COOLANT VCS (STD 418-0001) |
| • MAN 324 TYPE SNF | • GM GMW 3420 (6277M)/GME L 1301 | • VOLVO COOLANT XLC (STD 418-0005) |
| • MB-APPROVAL 325.3 | | |
| • MTU MTL 5048 | | |

**Premium Performance
(Magenta Pink)**





TITAN

**Full range of Gear Oils
and ATFs**

TITAN GEAR OILS / TRANSMISSION OILS

Ultra-high performance gear oils for manual transmissions and axle gearboxes in passenger vehicles and commercial vehicles

Products	Performance Standard	Available Packs
TITAN SUPERGEAR HYP 75W-80	API GL-5	1L, 205L
TITAN SUPERGEAR HYP 75W-85	API GL-5	1L, 205L
TITAN SUPERGEAR HYP 75W-90	API GL-5	1L, 205L
TITAN SUPERGEAR SAE 80W-90	API GL4/GL5, MAN 342 TYPE M2 ZF TE-ML 05A, 12E, 17B, 19B, 21A (ZF000647)	1L, 2.5L, 5L, 7L, 20L & 205L
TITAN SUPERGEAR 85W-140	API GL-4/GL-5	12L & 205L
TITAN UTTO Oils	API GL-4	5L, 20L & 205L
TITAN GEAR GL-4 SAE 140	API GL-4	1L, 5L, 20L & 205L
TITAN GEAR GL-4 SAE 90	API GL-4	1L, 5L, 20L & 205L



TITAN ATFs

With major OE approvals

Available packs: 1L

TITAN ATF 9134 FE, TITAN ATF 7134 FE,
TITAN ATF 4134, TITAN ATF 6009, TITAN
ATF 6008, TITAN ATF 6006, TITAN ATF
6400, TITAN ATF 4400, TITAN ATF 4000,
TITAN FFL-10, TITAN FFL-4, TITAN FFL-3,
TITAN DCTF, TITAN CVTF PRO 236.20

Benefits:

- Lower total cost of ownership
- Reduced service and maintenance costs
- Improved reliability and increased fuel efficiency





Silkolene®

SUPERIOR MOTORCYCLE OILS

**Engine Oils for
Motorcycles**

SILKOLENE PRO 4 XP

SAE 10W-40 / 10W-50 / 10W-60 / 15W-50

Available packs: 1L

100% Ester based race fully synthetic oils developed with leading MotoGP, WSBK, BSB, TT and WMX teams to offer the very best performance under race conditions.

Performance Standards:
API SQ, JASO MA2

Benefits:

- Premium ester-based fully synthetic formulation with XP technology
- Ultimate engine protection
- Increased power
- Reduced fuel consumption
- Improved long-term reliability

**Fully Synthetic
Ester**

XP Technology



SILKOLENE COMP 4 XP

SAE 15W-50 / 20W-50

Available packs: 1L

Premium Fully Synthetic formulation with XP technology for 4T motorcycle engines.

Performance Standards:

API SN, JASO MA2

Benefits:

- Ultimate engine protection
- Increased power
- Reduced fuel consumption
- Improved long-term reliability
- Excellent stay-grade performance throughout the full-service interval

Fully Synthetic

XP Technology



SILKOLENE V-TWIN SAE 20W-50

Available packs: 4L

A dedicated High Performance 4-stroke oil for V-Twin engines

Performance Standards:

API SJ/CH-4, JASO MA2

Benefits:

- Specifically designed for 4-stroke engines fitted with wet clutches.
- Outstanding wet clutch performance as per JASO MA2 standard leading to smooth gear changes and maximum power transmission.
- Good gear wear and pitting protection.
- Good prevention of high-temperature deposits resulting in a clean engine and long engine life.
- Good engine wear protection.



SILKOLENE SUPER 4

SAE 10W-30 / 20W-40

Available packs: 900 ML, 1L, 50L & 205L

Superior Synthetic 4T engine oil providing increased power and optimum engine protection for improved long-term performance and reliability.

Performance Standards:

API SP, JASO MA2

Benefits:

- Suitable for use in all 4-stroke motorcycle engines on or off road.
- Excellent anti-wear and load carrying agents protect camshafts and bearings and other internal components.
- Advanced inhibitors and high-quality base fluid minimize internal sludge and varnish deposits.
- Balanced frictional characteristics give precise and slip-free clutch operation.
- Extreme pressure and lubricity additives ensure quiet and trouble-free gearbox lubrication.

Synthetic



SILKOLENE SUPER 4 SAE 10W-40

Available packs: 1L

Superior Synthetic 4T engine oil providing increased power and optimum engine protection for improved long-term performance and reliability.

Performance Standards:

API SP, JASO MA2

Benefits:

- Suitable for use in all 4-stroke motorcycle engines on or off road.
- Excellent anti-wear and load carrying agents protect camshafts and bearings and other internal components.
- Advanced inhibitors and high-quality base fluid minimize internal sludge and varnish deposits.
- Balanced frictional characteristics give precise and slip-free clutch operation.
- Extreme pressure and lubricity additives ensure quiet and trouble-free gearbox lubrication.

Synthetic



SILKOLENE SUPER 4

SAE 10W-30

Available packs: 800 ML, 900 ML, 1L, 50L & 205L

Semi-Synthetic 4T engine oils with advanced additive chemistry from start up to full power.

Performance Standards:

API SL, JASO MA2

Benefits:

- A balanced blend of detergents, dispersants and load-carrying agents are incorporated to give excellent engine cleanliness and minimum wear of moving parts and ensure correct clutch operations and all other drive line components.
- Provides exceptional anti-corrosion and anti-wear performance under all conditions.

Semi-Synthetic



SILKOLENE MAX SCOOT SAE 10W-30

Available packs: 800 ML

Superior engine oil formulated to deliver low clutch frictional performance.
Especially for scooter engines

Performance Standards:

API SL, JASO MB

Benefits:

- Enhanced fuel economy
- Excellent thermal stability

MC-Synthesis



SILKOLENE SUPER 4

SAE 15W-50

Available packs: 2.5L, 50L & 205L

Superior Semi-Synthetic 4T engine oils with advanced additive chemistry from start up to full power.

Performance Standards:

API SL, JASO MA2

Benefits:

- A balanced blend of detergents, dispersants and load-carrying agents are incorporated to give excellent engine cleanliness and minimum wear of moving parts and ensure correct clutch operations and all other drive line components.
- Provides exceptional anti-corrosion and anti-wear performance under all conditions.

Semi-Synthetic

For Royal Enfield



SILKOLENE SUPER 4 SAE 20W-40

Available packs: 900 ML, 1L, 50L & 205L

Semi-Synthetic 4T engine oils with advanced additive chemistry from start up to full power.

Performance Standards:

API SL, JASO MA2

Benefits:

- A balanced blend of detergents, dispersants and load-carrying agents are incorporated to give excellent engine cleanliness and minimum wear of moving parts and ensure correct clutch operations and all other drive line components.
- Provides exceptional anti-corrosion and anti-wear performance under all conditions.

Semi-Synthetic



SILKOLENE SUPER 4 SAE 20W-50

Available packs: 1L, 50L & 205L

Superior Semi-Synthetic 4T engine oils with advanced additive chemistry from start up to full power.

Performance Standards:

API SL, JASO MA2

Benefits:

- A balanced blend of detergents, dispersants and load-carrying agents are incorporated to give excellent engine cleanliness and minimum wear of moving parts and ensure correct clutch operations and all other drive line components.
- Provides exceptional anti-corrosion and anti-wear performance under all conditions.

Semi-Synthetic



TITAN



**Engine Oils for
Commercial Vehicles**

TITAN UNIMAX CK-4 SAE 15W-40

Available packs: 1L, 7L, 11L, 15L, 26L & 205L

Premium performance engine oil for mixed fleets operated under normal conditions.

**Premium
Performance CK-4**

Performance Standards:

API CK-4

Benefits:

- Very low sulphated ash content
- Protection of exhaust gas treatment systems
- Excellent oxidation stability
- Outstanding shear stability
- Protection against soot-related viscosity increase



TITAN UNIMAX CI-4+ SAE 15W-40

Available packs: 1L, 3L, 5L, 7L, 7.5L, 11L, 15L, 50L, 20L & 205L

Premium performance engine oil for commercial vehicle diesel engines.

Performance Standards:

API CI-4 plus, ACEA E7, MB-Approval 228.3, CUMMINS CES 20078, VOLVO VDS-3, MAN M 3275, CAT ECF-2, RENAULT RLD-2, MACK EO-N, MACK-EO-M plus

Benefits:

- Very low sulphated ash content
- Protection of exhaust gas treatment systems
- Excellent oxidation stability
- Outstanding shear stability
- Protection against soot-related viscosity increase

**Premium
Performance CI-4+**



TITAN UNIVERSAL CH-4 SAE 15W-40

Available packs: 1L, 2.5L, 3L, 5L, 50L & 205L

High performance engine oil for commercial vehicle diesel engines.

Performance Standards:

API CH-4, ACEA E3, MB-APPROVAL 228.1, CUMMINS CES 20076, MAN M 271, CAT ECF-1-a, MTU TYPE 1

Benefits:

- High wear protection even under prolonged stress
- Protects against mirror surface formation on cylinder races
- Excellent protection against corrosion
- Reliable protection against deposits, sludge and adhesion during high thermal stress and stop-and-start driving
- Fastest possible oil circulation after start, reducing cold-start and warm-up wear

**High Performance
CH-4**



TITAN UNIVERSAL CF-4 SAE 15W-40

Available packs: 1L, 3.5L, 7.5L, 8.5L, 10L, 15L, 20L,
50L & 205L

High performance engine oil for commercial vehicles, off-highway equipment and cars

Performance Standards:

API CF-4/SG

Benefits:

- Very low sulphated ash content
- Protection of exhaust gas treatment systems
- Excellent oxidation stability
- Outstanding shear stability
- Protection against soot-related viscosity increase

**High Performance
CF-4**



TITAN UNIVERSAL CF-4

SAE 20W-40

Available packs: 1L, 6L, 7.5L, 8.5L, 10L & 205L

High performance engine oil for commercial vehicles, off-highway equipment and cars

**High Performance
CF-4**

Performance Standards:

API CF-4/SG


Benefits:

- Very low sulphated ash content
- Protection of exhaust gas treatment systems
- Excellent oxidation stability
- Outstanding shear stability
- Protection against soot-related viscosity increase



Our benefits for CUSTOMER

- Largest independent **Lubricant Company** in the world
- **100%** focused on lubricants
- **Widest Product Range** in the market
(MCO, PCMO, Industrial)
- **Local** production – short lead times



Our benefits for CUSTOMER

- Global sales & marketing **Network**
- Global **R&D** - state of the art lubricants
- Newest **Approvals** of various manufacturers
- Best **Transmission Fluid** portfolio in the world





Our promise The FUCHS advantage

- Increased drain interval and fuel efficiency
- The highest possible standards and quality assurance
- Increased efficiency, lower CO₂ emissions
- Reduced process costs
- Outstanding consulting and industry expertise
- Customized solutions for every application. Worldwide



MOVING YOUR WORLD
by developing a partnership
together



MOVING YOUR WORLD